Q Search...

More

**HARNESSES** (/S/TOPIC/0TO1M000000MYUVW...

# How to use your PetSafe® Sure-Fit **Harness®**

#### Table of contents

Welcome: A few things to keep in mind

<u>Understanding your harness</u>

Step 1: Fit your harness

Step 2: How to use

#### Welcome

to your new PetSafe® Sure-Fit Harness®.

#### A few things to keep in mind:



Acclimation time will vary for each dog.



Avoid leaving harness on when not in use.



Have treats available during the fitting process.


# Understanding your harness

# Related Articles

How to fit your PetSafe® Sure-fit Harness® (/s/article/How-to-fit-your-Pet-Safe-Sure-fit-Harness)

How to use your Walk-Along™ Outdoor Harness (/s/article/How-to-use-your-Walk-Along-Outdoor-Harness)

How to use your Happy Ride™ Safety Harness (/s/article/How-to-use-your-Happy-Ride-Safety-Harness)



- A D-ring
  Connection point for leash.
- B Girth straps
  Adjustable straps design to fit around the chest of your dog.
- C Shoulder straps
  Adjustable straps designed to fit around your dog's shoulders.
- O-ring
  Sits on the chest of your dog for control during walks.

# Step 1: Fit your harness

How to use your Come With Me Kitty™ Cat Harness and Bungee Leash (/s/article/How-to-use-your-Come-With-Me-Kitty-Cat-Harness-and-Bungee-Leash)

How to use your Easy Walk® Harness (/s/article/How-to-use-your-Easy-Walk-Harness)

# **Products**



<u>Happy Ride™</u> <u>Safety Harness</u>



<u>CareLift™ Support</u> Harness



<u>EasySport Harness</u>




Come With Me
Kitty™ Harness
and Bungee Leash



<u> 3 in 1 Harness</u>

Pro	ner	fit:
	PCI	116.

Offer treats and praise to your dog during and after measurements.




1 Measure the girth of your dog behind the front legs and around the rib cage.


Girth Measurement	Size
12" - 16"	Petite
15" - 21"	X-Small
18" - 22"	Medium
22" - 30"	Large
28" - 42"	Size

2 Choose the appropriate size harness based on girth measurements.

# Adjust shoulder strap:




With the harness unbuckled, place the shoulder straps over your dog's head.






Adjust the shoulder straps so that the O-ring sits on or above your dog's chest bone.

# Adjust the girth strap:




Bring the girth strap between your dog's front legs.






2 Attach the girth straps to the buckles on your dog's back. Adjust for a snug fit.



Adjust the strap under your dog's chest to ensure it is not hanging loose.









When fit properly, two fingers should barely fit between the skin and nylon strap. This prevents the harness from moving and chafing your dog's skin.

# Step 2: How to use



Place the properly fitted harness on your dog.



2 Attach a leash to the D-ring and have your dog walk calmly beside you.

CELL VC 4/3 DIT/ | CELL C 7/4 DIT/ | CELL M 7/4 DIT/ | CEL